



Dual Cylinder



| KCYR-INNER SIZE STROKE |



DWG NO	PRESURE WIDTH (cm)	Strokemm	A	B	C	D	E	F
KCYR-44-50	28	50	198	90	242	51	55	51
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-50-50	36	50	198	90	242	57	53	57
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-56-50	46	50	198	90	242	64	49	64
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-60-50	54	50	198	90	242	68	47	68
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-63-50	28	50	198	90	242	71	45	71
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-70-50	73	50	198	90	242	80	41	80
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			
KCYR-80-50	97	50	198	90	242	90	50	90
63		63	224	103	268			
76		76	250	116	294			
102		102	302	142	346			
127		127	352	167	396			
152		152	402	192	446			

Dual Cylinder