

Your ideal
productive
scrubber dryer
solution

SCRUBTEC R 6



**Nilfisk
ALTO**
works for you

More productivity, better cleaning and reliability

The SCRUBTEC R 6 platform is a new generation of scrubber-dryers, with focus on performance, ergonomics and reliability. Available in 3 disc version (up to 1 meter scrubbing width) and 1 cylindrical version (71 cm).

Large 120 litres solution and recovery tanks allow up to 1 1/2 hour of continuous scrubbing without a dump and refill, while high down pressure (up to 96 kg on disc versions) allow for one pass efficient cleaning. Solution sight tube indicates how much clean water remains in the tanks.

Featuring an open machine design, the operator can access the SCRUBTEC R 6 driver compartment from the left or right and quickly modify the tools-free adjustable seat for maximum comfort. Offering best-in-class maneuverability and water pick-up, the SCRUBTEC R 6's turning radius is ideal for cleaning in tight spaces, while its heavy-duty, fully adjustable, steel side skirts provide enhanced wiping and water containment. Large opening to the recovery tank allows for easy cleaning and tank access. Debris tray allows to prevent bulkier debris entering into the recovery tank.

”

- High productivity
- Ergonomic and easy to use
- Optional chemical mixing system
- Easy to understand control panel
- Adjustable scrubbing and transport speed control
- Gimbal brush/pad system follow uneven floors



Large recovery tank opening with standard debris tray.



All models are prepared for the optional integrated chemical mixing system.



No tools replacement for wear parts.



On Touch scrubbing button is conveniently located on the easy-to-understand control panel.



For use in:

- Transport centers
- Warehouses
- Repair shops
- Car parks
- Schools and universities

Squeegee hanger on the back of the machine makes it easier to transport through doorways and provides easy storage after cleaning. Standard debris tray.

Integrated on board chemical mixing kit (Optional)

High traction, non marking polyurethane tires

Parabolic break away squeegee ensures best in class water pick-up and dries completely the floor

Fully adjustable steel side skirts provide enhanced wiping and water containment in turns

One touch, easy to understand control panel (scrubbing on left, driving on right)

5 speed control settings for daily maintenance or restoration jobs

Solution sight tube indicates how much water remains in the tank

Angled footboard, low step height and easy driver access from both sides of the machine



Gives a solution for both daily maintenance and difficult restoration works

- Large 120 liters solution and recovery tanks allow up to 1 1/2 hour of continuous scrubbing without a dump and refill
- Large opening of the recovery tank allows easy cleaning
- Leaves floor dry thanks to its squeegee design and powerful vacuum motor.
- Adjustable side skirts provide enhanced wiping and water containment
- Solution and recovery tanks are made of tough polyethylene
- Polyurethane wheels for outstanding traction and high durability are also non-marking
- Operator can access the machine from both sides
- Ergonomic and spacey operator area allows excellent field of vision
- The squeegee blades (usable on 4 edges) can be removed and clean without tools
- Easy squeegee adjustment by a knob easy to reach
- Squeegee automatically raise in reverse, breakaway squeegee feature
- The Squeegee assembly can be hanged to the recovery tank for easy transport thorough doorways and easy storage after cleaning



TECHNICAL DATA	SCRUBTEC R 671	SCRUBTEC R 686	SCRUBTEC R 671 C	SCRUBTEC R 6100
Cleaning width (mm)	710	860	710	991
Squeegee width (mm)	826	1050	826	1176
Theoretical surface performance (m²/h)	4480	5420	4480	6250
Working speed (km/h)	6.3	6.3	6.3	6.3
Tank capacity solution/recovery (l)	120/120	120/120	120/120	120/120
Power source, battery (V)	24	24	24	24
Brush size (mm)	2 x 355	2 x 430	2 x 710 Cyl.	3 x 330
Brush motor (W)	2 x 480	2 x 480	2 x 373	3 x 480
Brush pressure (kg)	39-96	39-96	27-45	59-96
Brush speed (RPM)	260	260	900	260
Vacuum motor power (W)	560	560	560	560
Traction motor (W)	780	780	780	780
Dimensions L x W x H (mm)	1540 x 820 x 1390	1540 x 930 x 1390	1540 x 830 x 1390	1540 x 107 x 1390
Weight with batteries (kg)	602	602	616	626
FEATURES				
Battery version	●	●	●	●
On-board charger	○	○	○	○
Chemical mixing system	○	○	○	○
Wet sweep function			●	
Adjustable brush pressure	●	●	●	●
STANDARD EQUIPMENT				
Squeegee	●	●	●	●
2 x brush	○	○	○	
3 x brush				○
ITEM NO.	56114004	56114005	56114008	56114006



The Nilfisk-ALTO brand is owned by Nilfisk-Advance A/S, one of the world's leading manufacturers and suppliers of professional cleaning equipment.

With global company headquarters in Denmark, the company has developed professional cleaning equipment for over 100 years. Nilfisk-Advance has production facilities in North America, South America, Europe, and China, and has an extensive network of sales entities in 43 countries and is represented in more than 100 countries around the world.

The company currently has around 5400 employees worldwide, with global sales of approx. Euro 847 million in 2011.

We supply quality high pressure washers, vacuum cleaners and floor care equipment to agriculture, automotive and industrial companies, cleaning contractors and private consumers.

We are committed to the highest level of Corporate Responsibility. We develop cleaning solutions that provide you with cleaning efficiency while using less energy, less water and less detergent, so that you can focus on doing your job.

With the Nilfisk-ALTO brand we focus on innovation and growth. We believe in developing and maintaining long lasting relationships with our customers, suppliers and employees

green
meets
clean

No claims can be made on the basis of information or illustrations contained in this catalogue. Subject to alteration of technical data, design and equipment.

Distributed by:

Nilfisk-ALTO
www.nilfisk-alto.com

**Nilfisk
ALTO**
works for you