

Model: CQ-XP1010

Checkweigher

◆ General Specification :

CQ-XP1010 checkweigher machine.



◆ Application :

- This product is mainly suitable for the weight detection of large weight and large volume items, especially for the detection of missing parts in the whole box; such as: lack of bottles, lack of boxes, lack of one, missing pieces, lack of bags, lack of cans, etc.

◆ Features :

- Report function: built-in report statistics, the report can generate EXCEL format, can automatically generate a variety of real-time data reports.
- U disk can store more than 1 year of statistical data, support production status at any time.
- Interface function: reserved standard interface, convenient data management, communication with PC and other smart devices.
- Centralized control: centralized control of multiple checkweighers from one computer/human machine interface.
- The machine's standardized structure and standardized human-machine interface can complete the weighing of various materials.
- Can store 2000 different products parameter, easy to replace product parameter.
- Easy operation: using Weilun color human-machine interface, fully intelligent and user-friendly design.
- Easy maintenance: conveyor belt is easy to disassemble, easy to install and maintain, easy to clean.
- Speed adjustable: variable frequency control motor, speed can be adjusted as needed.
- High speed, high precision: high precision digital sensor, fast sampling speed and high accuracy.
- Zero tracking: can be manually or automatically cleared, as well as dynamic zero tracking.
- Can send data to labeling machine, ink-jet print machine or other machine through R232 or RS485 interface.

Guangdong Chaoqiang Electronic Technology Co., Ltd

Tel: +86-150-1907-1981

E-mail:patrick_zhang@chaoqiang1688.com

Model: CQ-XP1010



Checkweigher

◆ Technical Data Sheet:

Model	CQ-XP1010
Weighing range	1g-200g
Scale	0.1g
Accuracy	$\pm 0.05g - \pm 0.1g$
Speed of the belt	20-60m/min
The highest sorting speed	180 pcs/min
Material	304 stainless steel
Belt Width	120mm
Weighing section size	250(L) x 120(W) mm
Conveyor height	700mm $\pm$ 30mm
Rejection	T-push rejection (or air blow)
Screen	7.0" touch screen
Power&Voltage	AC220V/50(60)HZ 0.4KW
Control System	High speed A/D sampling controller
Application	Snack Foods, Puffed Foods
Compressed air request	0.6-1Mpa
Compressor interface	Φ 8mm
Working temperature:	0°C ~ 40°C
Humidity:	Humidity: 30%-90% Relative humidity (without condensate)
Dimension	900(L) * 500(W) * 1250(H) mm

Model: CQ-XP1010

Checkweigher



Model: CQ-XP1010

Checkweigher

AUTHORITATIVE CERTIFICATION QUALITY ASSURANCE



Guangdong Chaoqiang Electronic Technology Co., Ltd
Tel: +86-150-1907-1981 E-mail:patrick_zhang@chaoqiang1688.com

Model: CQ-XP1010

Checkweigher



Guangdong Chaoqiang Electronic Technology Co., Ltd
Tel: +86-150-1907-1981 E-mail:patrick_zhang@chaoqiang1688.com

Model: CQ-XP1010

Checkweigher



Guangdong Chaoqiang Electronic Technology Co., Ltd
Tel: +86-150-1907-1981 E-mail:patrick_zhang@chaoqiang1688.com

Model: CQ-XP1010

Checkweigher



Guangdong Chaoqiang Electronic Technology Co., Ltd
Tel: +86-150-1907-1981 E-mail:patrick_zhang@chaoqiang1688.com